



# METAL CASE LED

## DSMH23.6LED-WGF

23.6" Active Matrix Metal Case With Glass Front

### DSMH23.6LED-WGF

Panel Type	23.6" (16:9) LED Monitor
Case Type	Metal
Maximum Resolution	1920 (H) x 1080 (V)
Active Display Area	521.28 (H) x 293.22 (V) mm
Pixel Pitch	0.2715 (H) x 0.2715 (V)
Bezel Thickness	16.7 mm
Contrast Ratio	1000 : 1
Brightness	300 cd/m <sup>2</sup>
Response Time	1.5 - 3.5 ms
Viewing Angle	U/D: 80° / 80°, L/R: 85° / 85°
Display Colours	16.7 M
Video Synchronization	Yes
PC Compatible Frequency	30-80KHz(H) / 50-75Hz(V)
Adjustable Colour Temperature	9300K / 6500K / 5800K / User
Video Compatibility	Multi-Standard for NTSC / PAL
Aspect Ratio	16 : 9
VGA Auto Frequency correction	Yes
Speaker	Multimedia Speakers
Number of Speakers	Right x 1 Left x 1, 2.5W
Sound Demodulation	Stereo. Audio
Mute	Yes
Work Humidity	20 % - 70 %
Work Temperature	-10 to 50 °C
Volume +/- Power On/Off	Yes



### POWER

Power Supply	12VDC, 3 amp
Voltage	AC100 - 240V 50 / 60Hz
Power Consumption	<30W in ON mode

### OSD CONTROLS

Contrast, Brightness, Clock, Phase, H-Position, V-Position, Language

### OSD LANGUAGE

English, French, German, Spanish, Italian, Russian, Polish and Portuguese

### ACCESSORIES

Power Supply / Kettle Lead  
HDMI Cable / User Manual / Remote Control

### IN/OUT INTERFACE

Video Interface	1 x HDMI input 1 x VGA, 2 x BNC Input 2 x BNC Output
Audio Interface	Audio in x 1
Power Interface	DC In x 1
Termination	75 Ohms (Automatic termination)
Safety & EMC Certification	CE / FCC / ROHS
Vesa Standard Mount	100 x 100mm
Stand Type	Desktop
Colour	Black
Packing Dimension	640 (W) x 500 (H) x 165 (D) mm
NET Weight	7.5 Kgs
GROSS Weight	9.0 Kgs



